

PRODUCT DATASHEET

Contractor Series 10YR A19 6W FR 3500K 4PK

SYLVANIA Contractor Series A19/A21 Lamps | SYLVANIA Contractor Series are rated for up to 11,000 hours



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Suitable for rough service

Product features

- Reduces energy consumption up to 86 %
- 11,000 hours lifetime (L70)



- No warm-up time, instant-on with full light output and stable color

TECHNICAL DATA

Electrical data

Nominal wattage	6 W
Construction wattage	6.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	40 W
Operating frequency	50...60 Hz
Mains frequency	50...60 Hz

Photometrical data

Luminous flux	450 lm
Luminous efficacy	75 lm/W
Color temperature	3500 K
Color rendering index Ra	80
Light color	835

Dimensions & Weight

Overall length	110.01 mm
Diameter	59.94 mm
Product weight	50.00 g

Temperatures & operating conditions

Ambient temperature range	-20...+45 °C
---------------------------	--------------

Additional product data

Base (standard designation)	E26
Mercury-free	Yes
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value
NAED	79703

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	6W/835 120V 6X4
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	110.01 mm
Height	59.94 mm
Width	59.94 mm

Safety advice

- Suitable for damp locations.
- Non-dimmable.
- -4°F and +104°F (-20°C and +40°C)
- Approved for use in totally enclosed fixtures.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Contractor Series LED A19 Lamps

Photometric and lighting design files		Document name
	IES file (IES)	A19, 6W, 80CRI, 450 Lumen, 3500K IES FILE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135797033	Folding box 4	60 mm x 203 mm x 114 mm	250.00 g	1.40 dm ³
4055462163141	Tray 12			
4055462158772	Shipping box 24	222 mm x 206 mm x 238 mm	1799.00 g	10.92 dm ³
10046135797030	Shipping box 24	222 mm x 206 mm x 238 mm	1799.00 g	10.92 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.